




BYZANTIVM

BACK-LIT
AND
SMART
MIRRORS
2022





BYZANTIVM

Additional Functions:

Dimming Light

Anti-fog

Color-changing light

Magnifier

Shaver Socket

Clock

Bluetooth Speaker

USB Port




MAINTENANCE

Caring for your Mirror

Please follow the guidelines listed for proper mirror care and cleaning:

- Clean with a soft, grit-free cloth using warm water
- Do not use any acid, alkali or ammonia cleaners.
- Do not allow the mirror edges to remain wet.
- Apply all cleaners directly to the cloth and not the mirror surface.
- Stubborn spots can be removed with solvents such as mineral spirits, de-natured alcohol, and acetone. Immediately remove solvent and dirt residues per the prescribed methods above with water.
- Take care when moving the mirror or accessories near the edges of the mirror. Exposed polished edges of glass are susceptible to chipping when in contact with other hard surfaces such as a faucet or metal soap dispenser.



Failure to follow these instructions may void your warranty and could cause damage to the mirror.





JY00

5 YEAR WARRANTY

Descriptions:



Specifications

- Safety backed silver mirror
- Anti-corrosion treatment
- Finger-print proof outer sanding
- Edge&chamfering treatment
- High output LEDs, CRI 80+ or 90+
- 2700K/3000K/4000K/6000K
- Life span: 50000hrs
- Aluminum/steel base
- UL/CE/SAA LED power supply

Functions


- Single button touch switch
- Three buttons touch switch
- Memory switch
- Defogger
- Dimmable
- CCT change
- Time display
- 0-10V dimming
- Magnifier
- Bluetooth Speaker
- Hang horizontally or vertically

Size mm	Size inch
500*700	24"x32"
600*600	24"x36"
600*800	28"x36"
1000*600	36"x36"
1200*600	42"x36"
Custom	48"x36"
	60"x36"
	Custom







JY10



Descriptions:

Specifications	Functions	Size mm	Size inch
Safety backed silver mirror	Single button touch switch	500*700	24"x32"
Anti-corrosion treatment	Three buttons touch switch	600*600	24"x36"
Finger-print proof outer sanding	Memory switch	600*800	28"x36"
Edge&chamfering treatment	Defogger	1000*600	36"x36"
High output LEDs, CRI 80+ or 90+ 2700K/3000K/4000K/6000K	Dimmable CCT change	1200*600 Custom	42"x36" 48"x36"
Life span: 50000hrs	Time display		60"x36"
Aluminum/steel base	0-10V dimming		Custom
UL/CE/SAA LED power supply	Magnifier Hang horizontally or vertically		







Descriptions:

Specifications	Functions	Size mm	Size inch
Safety backed silver mirror	Single button touch switch	500*700	24"x32"
Anti-corrosion treatment	Three buttons touch switch	600*600	24"x36"
Finger-print proof outer sanding	Memory switch	600*800	28"x36"
Edge&chamfering treatment	Defogger	1000*600	36"x36"
High output LEDs, CRI 80+ or 90+	Dimmable	1200*600	42"x36"
2700K/3000K/4000K/6000K	CCT change	Custom	48"x36"
Life span: 50000hrs	Time display		60"x36"
Aluminum/steel base	0-10V dimming		Custom
UL/CE/SAA LED power supply	Bluetooth speaker		
	Magnifier		
	Can be horizontal or vertical		



JY30



Descriptions:


Specifications	Functions	Size mm	Size inch
Safety backed silver mirror	Single button touch switch	D600	D24"
Anti-corrosion treatment	Three buttons touch switch	D800	D28"
Finger-print proof outer sanding	Memory switch	D900	D32"
Edge&chamfering treatment	Defogger	Custom	D36"
High output LEDs, CRI 80+ or 90+	Dimmable		Custom
2700K/3000K/4000K/6000K	CCT change		
Life span: 50000hrs	Time display		
Aluminum/steel base	0-10V dimming		
UL/CE/SAA LED power supply	Manufacturer		



JY30

Descriptions:

Specifications	Functions	Size mm	Size inch
Safety backed silver mirror	Single button touch switch	D800	D31.5"
Anti-corrosion treatment	Three buttons touch switch		
Finger-print proof outer sanding	Memory switch		
Edge&chamfering treatment	Defogger		
High output LEDs, CRI 80+ or 90+	Dimmable		
2700K/3000K/4000K/6000K	CCT change		
Life span: 50000hrs	Time display		
Aluminum/steel base	0-10V dimming		
UL/CE/SAA LED power supply	Magnifier		





JY40




Descriptions:

Specifications	Functions	Size mm	Size inch
Safety backed silver mirror	Single button touch switch	D600	D24"
Anti-corrosion treatment	Three buttons touch switch	D800	D28"
Finger-print proof outer sanding	Memory switch	D900	D32"
Edge&chamfering treatment	Defogger	Custom	D36"
High output LEDs, CRI 80+ or 90+	Dimmable		Custom
2700K/3000K/4000K/6000K	CCT change		
Life span: 50000hrs	Time display		
Aluminum/steel base	0-10V dimming		
UL/CE/SAA LED power supply	Magnifier		





JY40



Descriptions:


Specifications	Functions	Size mm	Size inch
Safety backed silver mirror	Single button touch switch	600x900	24"x36"
Anti-corrosion treatment	Three buttons touch switch	Custom	Custom
Finger-print proof outer sanding	Memory switch		
Edge&chamfering treatment	Defogger		
High output LEDs, CRI 80+ or 90+	Dimmable		
2700K/3000K/4000K/6000K	CCT change		
Life span: 50000hrs	Time display		
Aluminum/steel base	0-10V dimming		
UL/CE/SAA LED power supply	Magnifier		



JY60


Descriptions:

Specifications	Functions	Size mm	Size inch
Safety backed silver mirror	Single button touch switch	500x700	24"x32"
Anti-corrosion treatment	Three buttons touch switch	600x600	24"x36"
Finger-print proof outer sanding	Memory switch	600x800	28"x36"
Edge&chamfering treatment	Defogger	1000x600	36"x36"
High output LEDs, CRI 80+ or 90+	Dimmable	1200x600	42"x36"
2700K/3000K/4000K/6000K	CCT change	Custom	48"x36"
Life span: 50000hrs	Time display		60"x36"
Aluminum/steel base	0-10V dimming		Custom
UL/CE/SAA LED power supply	Magnifier		





JY90




Descriptions:

Specifications	Functions	Size mm	Size inch
Safety backed sliver mirror	Single button touch switch	500*700	24"x32"
Anti-corrosion treatment	Three buttons touch switch	600*600	24"x36"
Finger-print proof outer sanding	Memory switch	600*800	28"x36"
Edge&chamfering treatment	Defogger	1000*600	36"x36"
High output LEDs, CRI 80+ or 90+	Dimmable	1200*600	42"x36"
2700K/3000K/4000K/6000K	CCT change	Custom	48"x36"
Life span: 50000hrs	Time display		60"x36"
Aluminum/steel base	0-10V dimming		Custom
UL/CE/SAA LED power supply	Magnifier		
	Bluetooth Speaker		
	Han horizontall or verticall		



Descriptions:


Specifications	Functions	Size mm	Size inch
Safety backed silver mirror	Single button touch switch	500*700	24"x32"
Anti-corrosion treatment	Three buttons touch switch	600*600	24"x36"
Finger-print proof outer sanding	Memory switch	600*800	28"x36"
Edge&chamfering treatment	Defogger	1000*600	36"x36"
High output LEDs, CRI 80+ or 90+ 2700K/3000K/4000K/6000K	Dimmable CCT change	1200*600	42"x36"
Life span: 50000hrs	Time display	Custom	60"x36"
Steel base	0-10V dimming		Custom
UL/CE/SAA LED power supply	Magnifier Hang horizontally or vertically		





Descriptions:

Specifications	Functions	Size mm	Size inch
Safety backed silver mirror	Single button touch switch	600*1500	24"x60"
Anti-corrosion treatment	Three buttons touch switch	600*1800	24"x72"
Finger-print proof outer sanding	Memory switch	Custom	Custom
Edge&chamfering treatment	Defogger		
High output LEDs, CRI 80+ or 90+	Dimmable		
2700K/3000K/4000K/6000K	CCT change		
Life span: 50000hrs	Time display		
Aluminum/steel base	0-10V dimming		
UL/CE/SAA LED power supply	Magnifier		
	Hang horizontally or vertically		






JY20B




Frame: aluminum / stainless steel
Finish: Matt black / golden / custom



Descriptions:

Specifications	Functions	Size mm	Size inch
Safety backed silver mirror	Single button touch switch	600*1500	24"x60"
Anti-corrosion treatment	Three buttons touch switch	600*1800	24"x72"
Finger-print proof outer sanding	Memory switch	Custom	Custom
Edge&chamfering treatment	Defogger		
High output LEDs, CRI 80+ or 90+	Dimmable		
2700K/3000K/4000K/6000K	CCT change		
Life span: 50000hrs	Time display		
Aluminum/steel base	0-10V dimming		
UL/CE/SAA LED power supply	Magnifier		
	Hang horizontally or vertically		





Descriptions:

Specifications	Functions	Size mm	Size inch
Safety backed silver mirror	Single button touch switch	D600	D24"
Anti-corrosion treatment	Three buttons touch switch	D800	D28"
Finger-print proof outer sanding	Memory switch	D900	D32"
Edge&chamfering treatment	Defogger	Custom	D36"
High output LEDs, CRI 80+ or 90+	Dimmable		Custom
2700K/3000K/4000K/6000K	CCT change		
Life span: 50000hrs	Time display		
Aluminum/steel base	0-10V dimming		
UL/CE/SAA LED power supply	Magnifier		



JY20



Descriptions:

Specifications	Functions	Size mm	Size inch
Safety backed silver mirror	Single button touch switch	500*700	24"x32"
Anti-corrosion treatment	Three buttons touch switch	600*600	24"x36"
Finger-print proof outer sanding	Memory switch	600*800	28"x36"
Edge&chamfering treatment	Defogger	1000*600	36"x36"
High output LEDs, CRI 80+ or 90+	Dimmable	1200*600	42"x36"
2700K/3000K/4000K/6000K	CCT change	Custom	48"x36"
Life span: 50000hrs	Time display		60"x36"
Aluminum/steel base	0-10V dimming		Custom
UL/CE/SAA LED power supply	Magnifier		
	Bluetooth Speaker		
	Hang horizontally or vertically		





JY30B



Descriptions:

Specifications	Functions	Size mm	Size inch
Safety backed silver mirror	Single button touch switch	D600	D24"
Anti-corrosion treatment	Three buttons touch switch	D800	D28"
Edge&chamfering treatment	Memory switch	D900	D32"
High output LEDs, CRI 80+ or 90+	Defogger	Custom	D36"
2700K/3000K/4000K/6000K	Dimmable		Custom
Life span: 50000hrs	CCT change		
Aluminum/steel base	Time display		
UL/CE/SAA LED power supply	0-10V dimming		
	Ma nifier		





Descriptions:

Specifications	Functions	Size mm	Size inch
Safety backed silver mirror	Single button touch switch	D600	D24"
Anti-corrosion treatment	Three buttons touch switch	D800	D28"
Edge&chamfering treatment	Memory switch	D900	D32"
High output LEDs, CRI 80+ or 90+	Defogger	Custom	D36"
2700K/3000K/4000K/6000K	Dimmable		Custom
Life span: 50000hrs	CCT change		
Aluminum/steel base	Time display		
UL/CE/SAA LED power supply	0-10V dimming		
	Manufacturer		



JY10



JY10
With acrylic diffuser panel
Built-in magnifier

Descriptions:

Specifications	Functions	Size mm	Size inch
Safety backed silver mirror	Single button touch switch	500*700	24"x32"
Anti-corrosion treatment	Three buttons touch switch	600*600	24"x36"
Finger-print proof outer sanding	Memory switch	600*800	28"x36"
Edge&chamfering treatment	Defogger	1000*600	36"x36"
High output LEDs, CRI 80+ or 90+	Dimmable	1200*600	42"x36"
2700K/3000K/4000K/6000K	CCT change	Custom	48"x36"
Life span: 50000hrs	Time display		60"x36"
Aluminum/steel base	0-10V dimming		Custom
UL/CE/SAA LED power supply	Magnifier		
	Hang horizontally or vertically		




With acrylic diffuser panel



JY10


Descriptions:

Specifications	Functions	Size mm	Size inch
Safety backed silver mirror	Single button touch switch	500*700	24"x32"
Anti-corrosion treatment	Three buttons touch switch	600*600	24"x36"
Finger-print proof outer sanding	Memory switch	600*800	28"x36"
Edge&chamfering treatment	Defogger	1000*600	36"x36"
High output LEDs, CRI 80+ or 90+	Dimmable	1200*600	42"x36"
2700K/3000K/4000K/6000K	CCT change	Custom	48"x36"
Life span: 50000hrs	Time display		60"x36"
Aluminum/steel base	0-10V dimming		Custom
UL/CE/SAA LED power supply	Magnifier		
	Hang horizontally or vertically		





JY20C




Descriptions:

Specifications	Functions	Size mm	Size inch
Safety backed silver mirror	Single button touch switch	500*700	24"x32"
Anti-corrosion treatment	Three buttons touch switch	600*600	24"x36"
Finger-print proof outer sanding	Memory switch	600*800	28"x36"
Edge&chamfering treatment	Defogger	1000*600	36"x36"
High output LEDs, CRI 80+ or 90+	Dimmable	1200*600	42"x36"
2700K/3000K/4000K/6000K	CCT change	Custom	48"x36"
Life span: 50000hrs	Time display		60"x36"
Aluminum/steel base	0-10V dimming		Custom
UL/CE/SAA LED power supply	Magnifier		
	Hang horizontally or vertically		

JY10B



Frame: aluminum / stainless steel
Finish: Matt black / golden / custom



Descriptions:



Specifications	Functions	Size mm	Size inch
Safety backed silver mirror	Single button touch switch	500*700	24"x32"
Anti-corrosion treatment	Three buttons touch switch	600*600	24"x36"
Edge&chamfering treatment	Memory switch	600*800	28"x36"
High output LEDs, CRI 80+ or 90+	Defogger	1000*600	36"x36"
2700K/3000K/4000K/6000K	Dimmable	1200*600	42"x36"
Life span: 50000hrs	CCT change	Custom	48"x36"
Aluminum/steel base	Time display		60"x36"
UL/CE/SAA LED power supply	0-10V dimming		Custom
	Magnifier		
	Hang horizontally or vertically		



JY10B

Descriptions:

Specifications	Functions	Size mm	Size inch
Safety backed silver mirror	Single button touch switch	500*700	24"x32"
Anti-corrosion treatment	Three buttons touch switch	600*600	24"x36"
Edge&chamfering treatment	Memory switch	600*800	28"x36"
High output LEDs, CRI 80+ or 90+	Defogger	1000*600	36"x36"
2700K/3000K/4000K/6000K	Dimmable	1200*600	42"x36"
Life span: 50000hrs	CCT change	Custom	48"x36"
Aluminum/steel base	Time display		60"x36"
UL/CE/SAA LED power supply	0-10V dimming		Custom
	Magnifier		
	Hang horizontally or vertically		





Aluminum frame
Finish: Matt black / golden / custom

TH00




Descriptions:


Specifications	Functions	Size mm	Size inch
Safety backed silver mirror	Single button touch switch	500*700	24"x32"
Anti-corrosion treatment	Three buttons touch switch	600*600	24"x36"
Edge&chamfering treatment	Memory switch	600*800	28"x36"
High output LEDs, CRI 80+ or 90+	Defogger	1000*600	36"x36"
2700K/3000K/4000K/6000K	Dimmable	1200*600	42"x36"
Life span: 50000hrs	CCT change	Custom	48"x36"
Aluminum	Time display		60"x36"
UL/CE/SAA LED power supply	0-10V dimming		Custom
	Magnifier		
	Hang horizontally or vertically		



JY20C



Frame: aluminum / stainless steel
Finish: Oxidized original color / Matt black / golden / custom



Descriptions:



Specifications	Functions	Size mm	Size inch
Safety backed silver mirror	Single button touch switch	500*700	24"x32"
Finger-print proof sanding	Three buttons touch switch	600*600	24"x36"
Anti-corrosion treatment	Memory switch	600*800	28"x36"
Edge&chamfering treatment	Defogger	1000*600	36"x36"
High output LEDs, CRI 80+ or 90+	Dimmable	1200*600	42"x36"
2700K/3000K/4000K/6000K	CCT change	Custom	48"x36"
Life span: 50000hrs	Time display		60"x36"
Aluminum	0-10V dimming		Custom
UL/CE/SAA LED power supply	Magnifier		
	Hang horizontally or vertically		



JY10D

Descriptions:

Specifications	Functions	Size mm	Size inch
Safety backed silver mirror	Single button touch switch	500*700	24"x32"
Anti-corrosion treatment	Three buttons touch switch	600*600	24"x36"
Edge&chamfering treatment	Memory switch	600*800	28"x36"
High output LEDs, CRI 80+ or 90+	Defogger	1000*600	36"x36"
2700K/3000K/4000K/6000K	Dimmable	1200*600	42"x36"
Life span: 50000hrs	CCT change	Custom	48"x36"
Aluminum / Steel	Time display		60"x36"
UL/CE/SAA LED power supply	0-10V dimming		Custom
	Magnifier		
	Hang horizontally or vertically		




Frame: stainless steel
Finish: Matt black / golden / custom



JY40D



Frame: stainless steel
Finish: Matt black / golden / custom




Descriptions:

Specifications	Functions	Size mm	Size inch
Safety backed silver mirror	Single button touch switch	D600	D24"
Finger-print proof sanding	Three buttons touch switch	D800	D32"
Anti-corrosion treatment	Memory switch	D900	D36"
Edge&chamfering treatment	Defogger	Custom	Custom
High output LEDs, CRI 80+ or 90+	Dimmable		
2700K/3000K/4000K/6000K	CCT change		
Life span: 50000hrs	Time display		
Aluminum / Steel	0-10V dimming		
UL/CE/SAA LED power supply	Magnifier		
	Hang horizontally or vertically		



Frame: stainless steel
Finish: Matt black / golden / custom



Descriptions:


Specifications	Functions	Size mm	Size inch
Safety backed silver mirror	Single button touch switch	600*1000	24"x40"
Anti-corrosion treatment	Three buttons touch switch	600*1200	24"x40"
Edge&chamfering treatment	Memory switch	600*1500	24"x60"
High output LEDs, CRI 80+ or 90+	Defogger	Custom	Custom
2700K/3000K/4000K/6000K	Dimmable		
Life span: 50000hrs	CCT change		
Aluminum / Steel	Time display		
UL/CE/SAA LED power supply	0-10V dimming		
	Magnifier		




JY10E

Descriptions:

Specifications	Functions	Size mm	Size inch
Safety backed silver mirror	Single button touch switch	1000*800	40"x32"
Anti-corrosion treatment	Three buttons touch switch	1200*800	48"x32"
Edge&chamfering treatment	Memory switch	Custom	60"x32"
High output LEDs, CRI 80+ or 90+	Defogger		Custom
2700K/3000K/4000K/6000K	Dimmable		
Life span: 50000hrs	CCT change		
Aluminum/ Steel	Time display		
UL/CE/SAA LED power supply	0-10V dimming		
	Magnifier		





Frame: stainless steel
Finish: Matt black / golden / custom



JY10F

Descriptions:

Specifications	Functions	Size mm	Size inch
Coated glass	Touch switch	500*700	24"x32"
Anti-corrosion treatment	Remote controller	600*600	24"x36"
Edge&chamfering treatment	Hang horizontally or vertically	600*800	28"x36"
High output LEDs, CRI 80+ or 90+		1000*600	36"x36"
		1200*600	42"x36"
White/Blue/Red/Yellow/RGB		Custom	48"x36"
Life span: 50000hrs			60"x36"
UL/CE/SAA LED power supply			Custom






TH01

5 YEAR WARRANTY



Descriptions:

Specifications	Functions	Size mm	Size inch
Safety backed silver mirror	Touch switch	600*500	24"x20"
Anti-corrosion treatment	Time display	600*800	24"x32"
Edge&chamfering treatment		Custom	Custom
High output LEDs, CRI 80+ or 90+			
Removable & Replaceable LED bulb			
Life span: 50000hrs			
UL/CE/SAA LED power supply			





TH02



Descriptions:

Specifications	Functions	Size mm	Size inch
Safety backed silver mirror	Touch switch	D500	D20"
Anti-corrosion treatment	Time display	D600	D24"
Edge&chamfering treatment		Custom	Custom
High output LEDs, CRI 80+ or 90+			
Removable & Replaceable LED bulb			
Life span: 50000hrs			
UL/CE/SAA LED power supply			




TH03





Descriptions:

Specifications	Functions	Size mm	Size inch
Safety backed silver mirror	Touch switch	600*500	24"x20"
Anti-corrosion treatment	Time display	600*800	24"x32"
Edge&chamfering treatment		Custom	Custom
High output LEDs, CRI 80+ or 90+			
Removable & Replaceable LED bulb			
Life span: 50000hrs			
UL/CE/SAA LED power supply			





TH04



Descriptions:

Specifications	Functions	Size mm	Size inch
Safety backed silver mirror	Touch switch	600*500	24"x20"
Anti-corrosion treatment	Time display	600*800	24"x32"
Edge&chamfering treatment		Custom	Custom
High output LEDs, CRI 80+ or 90+			
Removable & Replaceable LED bulb			
Life span: 50000hrs			
UL/CE/SAA LED power supply			

JY40E



Descriptions:

Specifications

- Safety backed silver mirror
- Finger-print proof sanding
- Anti-corrosion treatment
- Edge&chamfering treatment
- High output LEDs, CRI 80+ or 90+
- 2700K/3000K/4000K/6000K
- Life span: 50000hrs
- Aluminum / Steel
- UL/CE/SAA LED power supply

Functions

- Single button touch switch
- Three buttons touch switch
- Memory switch
- Defogger
- Dimmable
- CCT change
- Time display
- 0-10V dimming
- Magnifier
- Hang horizontally or vertically

Size mm	Size inch
D600	D24"
D800	D32"
D900	D36"
Custom	Custom

JY40F



Descriptions:

Specifications

- Safety backed silver mirror
- Finger-print proof sanding
- Anti-corrosion treatment
- Edge&chamfering treatment
- High output LEDs, CRI 80+ or 90+
- 2700K/3000K/4000K/6000K
- Life span: 50000hrs
- Aluminum / Steel
- UL/CE/SAA LED power supply

Functions

- Single button touch switch
- Three buttons touch switch
- Memory switch
- Defogger
- Dimmable
- CCT change
- Time display
- 0-10V dimming
- Magnifier
- Hang horizontally or vertically

Size mm	Size inch
D600	D24"
D800	D32"
D900	D36"
Custom	Custom



Descriptions:

Specifications

- Safety backed silver mirror
- Finger-print proof sanding
- Anti-corrosion treatment
- Edge&chamfering treatment
- High output LEDs, CRI 80+ or 90+
- 2700K/3000K/4000K/6000K
- Life span: 50000hrs
- Aluminum/Steel
- UL/CE/SAA LED power supply

Functions

- Single button touch switch
- Three buttons touch switch
- Memory switch
- Defogger
- Dimmable
- CCT change
- Time display
- 0-10V dimming
- Magnifier
- Hang horizontally or vertically

Size mm	Size inch
500*700	24"x32"
600*600	24"x36"
600*800	28"x36"
1000*600	36"x36"
1200*600	42"x36"
Custom	48"x36"
	60"x36"
	Custom

JY-MC01



Size mm	Size inch
500*700	24"x32"
600*800	24"x36"
Custom	Custom

Functions

- Single button touch switch
- Three button touch switch
- Defogger
- Dimmable
- CCT change
- Time display
- 0-10V dimming

Descriptions:

Specifications

- Safety backed silver mirror Finger-print proof sanding
- Anti-corrosion treatment Edge&chamfering treatment
- High output LEDs, CRI 80+ or 90+2700K/3000K/4000K/6000K
- Life span: 50000hrs
- Aluminum
- Tempered glass shelf

JY-MC02



Size mm	Size inch
500*700	24"x32"
600*800	"24"x36"
Custom	Custom

Functions

- Single button touch switch
- Three button touch switch
- Defogger
- Dimmable
- CCT change
- Time display
- 0-10V dimming

Descriptions:

Specifications


- Safety backed silver mirror Finger-print proof sanding
- Anti-corrosion treatment Edge&chamfering treatment
- High output LEDs, CRI 80+ or 90+2700K/3000K/4000K/6000K
- Life span: 50000hrs
- Aluminum
- Tempered glass shelf




Installation Instructions for Backlit Mirror

120VAC 50/60Hz


Accessories




Tools




Attention: Ensure that power is off at the fuse box or circuit breaker before installation.




Step 1: Mark the position of the screw holes through the steel base on the wall, ensuring it is level.




Step 2: Drill the holes.




Step 3: Put in the four wall plugs.



Step 4: Fix the steel base with the mounting screws.





Step 6: Hang the mirror up.



Step 5: Connect the cable

Black for Live wire
green for Earth wire
White for Neutral wire



Note: The wall plugs and screws provided are only suitable for masonry. If you are installing this product on to a plasterboard you will need to purchase the suitable plugs and screws from your local hardware store.





BYZANTIVM

MIAMI . DUBAI . ISTANBUL . ZHONGHAN

1661 WEST AVE #398002
MIAMI BEACH, FL 33239

+1 305 503 5779

INFO@BYZANTIVM.COM

WWW.BYZANTIVM.COM

NOTE: DIMENSIONS +/-0.5-INCH(12MM)

BYZANTIVM HOSPITALITY CANNOT BE HELD
RESPONSIBLE FOR ERRORS IN TYPOGRAPHY
OR PHOTOGRAPHY.

COPYRIGHT BYZANTIVM INC. ALL RIGHTS RESERVED.